JOURNAL OF ALLOYS AND COMPOUNDS VOLUMES 211/212, SEPTEMBER 1994

Contents

Preface v

Committees and Topics vi

Sponsors vii

Historical reviews

Remembrances of Clarence Zener 1
C. Wert (Urbana, IL, USA)

Early work on dislocations and point defects at low and intermediate frequencies 4
A.S. Nowick (New York, NY, USA)

Development of the torsion pendulum and early research on grain boundary relaxation and the cold-work internal friction peak 7
T.S. Kê (Ge Tingsui) (Hefei, China)

Dislocation relaxation 16
P.G. Bordoni (Rome, Italy)

Ultrasonic studies of condensed matter in the 1950s and beyond 20
C. Elbaum (Providence, RI, USA)

Point defects

Internal friction and sound velocity of polycrystalline metals at very low temperatures 27
P. Esquinazi, R. König, D. Valentin and F. Pobell (Bayreuth, Germany)

Q^{-1} spectra connected with C under solute atom interaction 33
P. Gondi and R. Montanari (Rome, Italy)

Anelastic behaviour in Nb–Ti alloys containing interstitial elements 37
O. Florêncio, W.J. Botta F. (São Carlos, SP, Brazil), C.R. Grandini (Bauru, SP, Brazil), H. Tejima and J.A.R. Jordão (São Carlos, SP, Brazil)

Analysis of the Snoek relaxation in niobium–oxygen with low interstitial content 41
F. Povolo and O.A. Lambri (Buenos Aires, Argentina)

Interaction of dissolved atoms and "hydrogen Snoek-type relaxation" in Nb and Ta (computer simulation) 45
M.S. Blanter (Moscow, Russian Federation)

Internal friction in pure iron nitrogenated by different methods 50
A. Ghilarducci, A. Vertanessian (Bariloche, RN, Argentina), J. Feugeas and G. Sánchez (Rosario, Santa Fe, Argentina)

Migration mechanism of self-interstitial atoms in Mo after low temperature irradiation
I. Relaxation peak 54
H. Tanimoto, H. Mizubayashi, N. Teramae and S. Okuda (Ibaraki, Japan)

Temperature dependence of the internal friction and modulus change in Y_2O_3- and M_gO-doped ZrO_2 polycrystals 58
L.F.C.P. Lima, A.L.E. Godoy and E.N.S. Muccillo (São Paulo, Brazil)

Stress-induced reorientation of oxygen–hydrogen complexes in a $Ta_{75}Nb_{25}$ alloy 62
A. Biscarini, R. Campanella, B. Coluzzi, F.M. Mazzolai (Perugia, Italy) and C. Costa (Terni, Italy)

Mechanical loss measurements on yttria- and calcia-stabilized zirconia 66
M. Weller (Stuttgart, Germany)

Mechanical loss studies of O–O interactions in Ta 71
G. Haneczok (Katowice, Poland), M. Weller and J. Diehl (Stuttgart, Germany)

Internal friction and substitutional–interstitial interaction in niobium-based alloys 75
N.P. Kushnareva and S.E. Snejko (Kiev, Ukraine)

Anelastic relaxation of H trapped by Zr in Nb single crystals 80
G. Cannelli, R. Cantelli, F. Cordero, F. Trequattrini (Rome, Italy) and H. Schultz (Stuttgart, Germany)

Elsevier Science S.A.

Dislocations and their interaction with lattice imperfections

Amplitude-dependent internal friction and plasticity of crystals 83
B.K. Kardashev, S.B. Kustov, A.B. Lebedev and S.P. Nikanorov (St. Petersburg, Russian Federation)

Nonlinear mechanical relaxation associated with dislocation–point defect interaction 90
T.S. Kê (Ge Tingsui) (Hefei, China)

Variation in internal friction and ultrasonic attenuation in aluminium during the early stage of fatigue loading 93
Z. Zhu and G. Fei (Hefei, China)

Thermally activated recovery of polycrystalline cadmium deformed by anisotropic thermal expansion 96
M.H. Youssef (Cairo, Egypt) and P.G. Bordoni (Rome, Italy)

Study of the dislocation relaxation peaks in easy glide deformed silver single crystals having different length-to-width ratios 100
W.E. Alnaser and M.M. Zein (Bahrain, Bahrain)

Nonlinear damping and harmonic generation in iron 104
D.N. Beshers and V.F. Coronel (New York, NY, USA)

Internal friction due to twinning dislocations in Cu–Ge solid solution alloys 107
H. Numakura (Kyoto, Japan), K. Hasegawa (Kawasaki, Japan), M. Koiwa (Kyoto, Japan), H. Fukuda, R. Taniguchi and S. Tsukui (Osaka, Japan)

The problem of kink pair formation in f.c.c. metals 111
G. Gremaud, B. Quenet and W. Benoit (Lausanne, Switzerland)

Dislocation-like relaxations in cold deformed metallic glasses 114
V.A. Khonik (Voronezh, Russian Federation)

Internal friction associated with grain boundaries in Ni–Cr alloys 118
B. Cao, R. Schaller, W. Benoit (Lausanne, Switzerland) and F. Cosandey (Piscataway, NJ, USA)

Self-organized criticality and dislocation damping 124
F. Marchesoni (Perugia, Italy)

Low-temperature mechanical loss measurements of 5N and 6N lead 128
O. Progin, G. Gremaud and W. Benoit (Lausanne, Switzerland)

Sensitivity to dynamic strain aging in C–Mn steels 132
D. Wagner, C. Prioul and D. François (Chatenay Malabry, France)

Migration mechanism of self-interstitial atoms in Mo after low temperature irradiation
II. Dislocation pinning 136
H. Tanimoto, H. Mizubayashi, N. Teramae and S. Okuda (Ibaraki, Japan)

The power spectrum associated with a kink chain oscillating in a non-stokesian atmosphere of paraelastic interstitials 140
T. Ogurtani and R. Gungor (Ankara, Turkey)

High-temperature internal friction in aluminium studied by isothermal mechanical spectrometry 144
A. Rivière and J. Woirgard (Poitiers, France)

Internal friction and modulus defect in α-Fe-based, high-alloyed (Cr, Mo) hidamets 147
I.S. Golovin (Moscow, Russian Federation)

Dislocation damping and associated modulus defect in copper crystals 152
A.O. Moreno Gobbi (Montevideo, Uruguay) and J.A. Eiras (São Paulo, Brazil)

Numerical simulation of anelastic behaviour and microdeformation due to dislocations 155
J.F. Rojas, J. San Juan and M.L. Nó (Bilbao, Spain)

Photoacoustic properties of HgI_2 single crystals at different levels of ultrasound strain amplitude 160
B.K. Kardashev (St. Petersburg, Russian Federation)

Amplitude-dependent internal friction and dislocation inelastic strain in zinc and aluminium single crystals 164
S.N. Golyandin and S.B. Kustov (St. Petersburg, Russian Federation)

Low-temperature thermal cycling of metal-matrix composites studied by the ultrasonic low-frequency stress-coupling technique 169
C. Girard, R. Fougères and A. Vincent (Villeurbanne, France)

Amplitude-dependent internal friction in dilute copper–aluminium alloys with three kinds of peaks 173
K. Ishii (Nagoya, Japan)

The similarity law between the temperature dependences of yield stress and microyield stress evaluated from internal friction 177
A.B. Lebedev (St. Petersburg, Russian Federation)

Study of non-linear effects related to the Snoek–Köster relaxation in Nb 181
B.J. Molinas, O. Lambri (Rosario, Argentina) and M. Weller (Stuttgart, Germany)

Phase transformations: (a) displacive transitions; (b) order–disorder transitions and precipitation

Investigations of the elastic behaviour in the vicinity of ferroelectric phase transitions 185
G. Sorge and U. Straube (Halle/Saale, Germany)

Non-linear elastic properties of CuZnAl alloys near martensitic transformation 190
A. Biscarini, B. Coluzzi and F.M. Mazzolai (Perugia, Italy)

The influence of chemical composition and thermal treatments on the temperature-dependent internal friction of Fe–Ni alloys in the range of the phase transformation 194
S. Golovin (Tula, Russian Federation), I. Golovin, Y. Rodionov (Moscow, Russian Federation) and V. Seleznev (Tula, Russian Federation)

Studies on pre-bainitic transformation in Cu–Zn–Al–Mn alloy 198
H. Shen, Z. Zhang, Y. Yang, Y. Wang and G. Shen (Nanjing, China)

The influence of ageing on the reversible martensitic transformation in Cu–Zn–Al alloys 201
J. Ilczuk, B. Kostrubiec, H. Morawiec and J. Rasek (Katowice, Poland)

Effects of thermal and thermomechanical cycling on the phase transformations in NiTi and Ni–Ti–Co shape-memory alloys 204
L. Jordan, M. Masse, J.-Y. Collier and G. Bouquet (Paris, France)

Internal friction of Fe–Mn–Si–Cr shape-memory alloy 208
I. Yoshida (Fukushima, Japan) and H. Otsuka (Kanagawa, Japan)

Internal friction in Fe–Mn–Cr–Si–Ni shape memory alloys 212
R.B. Pérez-Sáez, M.L. Nó and J. San Juan (Bilbao, Spain)

Hydrogen in metals and semiconductors

Mechanical spectroscopy with hydrogen in intermetallic phases 216
H.-R. Sinning (Braunschweig, Germany)

Reorientation of diatomic H–Y complexes in dilute Pd–Y alloys 222
M. Ege, G. Hauptmann, W. Ulfert and H. Kronmüller (Stuttgart, Germany)

Anelastic relaxation due to O–H pairs in Nb–Zr alloys 226
C.R. Grandini (Bauru, SP, Brazil), W.J. Botta Filho, O. Florêncio, H. Tejima and J.A.R. Jordão (São Carlos, SP, Brazil)

Hydrogen-induced internal friction in $NiZr_2$ 229
G. Steckler and H.-R. Sinning (Braunschweig, Germany)

Features of elastic energy dissipation in the Pd–Ag–H system 233
F.A. Lewis, R.-A. McNicholl (Belfast, UK), A. Biscarini, B. Coluzzi, C. Costa and F.M. Mazzolai (Perugia, Italy)

Hydrogen internal friction peak and thermal desorption spectrum in amorphous $Cu_{60}Zr_{40}$ 237
H. Mizubayashi, M. Matsumoto and S. Okuda (Ibaraki, Japan)

Thermal activation parameters and the annealing process of the hydrogen relaxation peak in an austenitic stainless steel 241
G. Li (Shenyang, China)

Measurement of hydrogen solubility during isothermal charging in a Zr alloy using an internal friction technique 245
Z.L. Pan, M.P. Puls and I.G. Ritchie (Manitoba, Canada)

The influence of hydrogen and dislocations on the internal friction in yttrium 249
B. Kappesser, H. Wipf (Darmstadt, Germany), R.G. Barnes and B.J. Beaudry (Ames, IA, USA)

Tunnelling of H trapped by substitutional Zr in Nb: an investigation on its geometry 253
G. Cannelli, R. Cantelli, F. Cordero and F. Trequattrini (Rome, Italy)

Oxide superconductors

Oxygen diffusion and reordering in $RBa_2Cu_3O_{6+x}$ 257
G. Cannelli, R. Cantelli, F. Cordero, N. Piraccini, F. Trequattrini (Rome, Italy) and M. Ferretti (Genoa, Italy)

Ultrasonic anomalies and phase transitions in the $Y_1Ba_2Cu_4O_8$ and the $Y_{1-x}Ca_xBa_2Cu_4O_8$ systems 260
W. Ting and K. Fossheim (Trondheim, Norway)

Elastic aftereffect study of the ferroelastic tetragonal–orthorhombic phase transition in $YBa_2Cu_3O_x$ 264
F. Brenscheidt, D. Seidel and H. Wipf (Darmstadt, Germany)

Low temperature mechanical energy dissipation phenomena in praseodymium-doped yttrium superconductors 270
M. Gazda, B. Kusz, R.J. Barczyński (Gdańsk, Poland), O. Gzowski (Camerino, Italy), L. Murawski (Gdańsk, Poland) and S. Stizza (Camerino, Italy)

Ultrasound attenuation and velocity in $Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8-\delta}$ 273
J. Dominec, V. Plecháček, P. Vašek (Praha, Czech Republic) and C. Laermans (Heverlee, Belgium)

Low temperature torsion pendulum measurements on YBCO superconductors 276
P. Devos, R. De Batist (Antwerp, Belgium), J. Cornelis and F. Servaes (Mol, Belgium)

Dependence of dissipation on magnetic field orientation in high T_c superconductor ceramics. 279
J. Li, J.S. Zhu, X.F. Xu and Y.N. Wang (Nanjing, China)

Analysis of the oxygen relaxation spectrum in $YBa_2Cu_3O_{6+x}$ at high temperature 283
Y. Mi, R. Schaller and W. Benoit (Lausanne, Switzerland)

Internal friction in Bi–Sr–Ca–Cu–O glasses 287
L. Murawski, R.J. Barczyński, K. Trzebiatowski, D. Samatowicz, B. Kościelska, M. Gazda, B. Kusz and O. Gzowski (Gdańsk, Poland)

Acoustic absorption in high-temperature superconductors due to pseudo-Jahn–Teller centres. 292
L. Mihailov, A. Manov and A. Vavrek (Sofia, Bulgaria)

Oxygen mobility in $YBa_2Cu_3O_{7-\delta}$ 296
P. Gadaud and B. Kaya (Poitiers, France)

The effect of neutron and γ irradiation on YBCO and B(Pb)SCCO high-T_C superconductors 300
M.M. Zein and W.E. Alnaser (Bahrain, Bahrain)

Mechanical damping effects by flux lines in $YBa_2Cu_3O_{6.9}$ thin films. 305
C. Hünnekes, H.G. Bohn, W. Schilling and H. Schulz (Jülich, Germany)

Elastic consequences of the dielectric behavior of $YBa_2Cu_3O_{7-\delta}$ 309
C. Hucho, D. Maurer (Berlin, Germany) and V. Müller (Augsburg, Germany)

Stoichiometry dependence of oxygen anelastic relaxation in $YBa_2Cu_3O_{7-x}$ and the orthorhombic-to-tetragonal phase transition 314
E. Bonetti, E.G. Campari, P. Mattioli and A. Zingaro (Bologna, Italy)

Piezoelectric effect and ultrasonic attenuation near T_c in single-crystal $YBa_2Cu_3O_{7-x}$ superconductors. 318
T.J. Kim, E. Mohler and W. Grill (Frankfurt am Main, Germany)

Amorphous materials and superionic conductors

Low energy excitations in amorphous materials: acoustic experiments and comparison with theoretical models. 321
G. Weiss (Karlsruhe, Germany)

Theoretical basis and general applicability of the coupling model to relaxations in coupled systems 327
K.L. Ngai (Washington, DC, USA), Y.-N. Wang (Nanjing, China) and L.B. Magalas (Cracow, Poland)

Anelasticity and viscosity of superionic conducting glasses 333
Y. Hiki, H. Takahashi (Hitachi, Japan) and H. Kobayashi (Tsukuba, Japan)

Relative variation in the sound velocity in polymethyl methacrylate at intermediate low temperatures. 337
R. Nava and R. Oentrich (Caracas, Venezuela)

Effect of passing electric current on the elastic property of amorphous alloys. 340
H. Mizubayashi and R. Takemoto (Ibaraki, Japan)

Correlation between mechanical and electrical losses in transition metal oxide glasses 344
L. Murawski, R.J. Barczyński, D. Samatowicz and O. Gzowski (Gdańsk, Poland)

Ultrasonic attenuation in α-quartz as a result of E′ defect centres 349
A. Manov (Sofia, Bulgaria)

Ferroelectric and ceramic materials

Mechanical loss and elastic modulus associated with phase transitions of barium titanate ceramics 352
B.L. Cheng (Guangzhou, China), M. Gabbay, G. Fantozzi (Villeurbanne, France) and W. Duffy Jr. (Santa Clara, CA, USA)

Mechanical and dielectric loss related to ferroelectric and relaxor phase transitions and domain walls 356
Y.N. Wang and Y.N. Huang (Nanjing, China)

The relation between internal friction and tensile creep deformation on alumina ceramics 361
S. Sakaguchi, N. Murayama, Y. Kodama and F. Wakai (Nagoya, Japan)

Anelastic relaxation associated with the intergranular phase in silicon nitride and zirconia ceramics 365
A. Lakki and R. Schaller (Lausanne, Switzerland)

Ultrasonic dispersion in the phase transition region of ferroelectric materials 369
V. Valevichius, V. Samulionis and J. Banys (Vilnius, Lithuania)

Internal friction in ceria ceramics doped with alkali earth metal oxides 374
K. Matsushita (Osaka, Japan)

Internal friction study of transformation dynamics in $BaTiO_3$ ceramics 378
J.X. Zhang, W. Zheng (Guangzhou, China), P.C.W. Fung (Hong Kong, Hong Kong) and K.F. Liang (Guangzhou, China)

Composites and polymers

Dynamical mechanical analysis of glass-transition peaks in polymers and composites 381
D.P. Almond, B. Harris, R.G. Hallett and O.G. Braddell (Bath, UK)

Jet: physical and material aspects 385
M. Weller (Stuttgart, Germany) and C. Wert (Urbana, IL, USA)

A study of the internal friction and modulus of epoxy-resin-dispersed nanometre-sized alumina particles 390
L. Zhang, C. Xie and X. Zhu (Hefei, China)

Study by mechanical spectroscopy of the dislocation substructure in an aluminium matrix composite reinforced by alumina fibres 393
S. Urreta and R. Schaller (Lausanne, Switzerland)

Influence of a changing microstructure on high temperature relaxation peaks, an example: WC–11wt.%Co 397
J.J. Ammann and R. Schaller (Lausanne, Switzerland)

AlCu–Al_2O_3 metal matrix composites studied by mechanical spectroscopy 402
L. Parrini and R. Schaller (Lausanne, Switzerland)

Modelling and numerical computation of transient internal damping due to thermal expansion mismatch between matrix and particles in metal matrix composites 406
G. Lormand, C. Girard, R. Fougères and A. Vincent (Villeurbanne, France)

Transient internal damping in aluminium-based metal matrix composites 410
A. Vincent, C. Girard, G. Lormand and R. Fougères (Villeurbanne, France)

High temperature damping in dispersion-strengthened aluminium alloys 414
A. Pichler (Linz, Austria), M. Weller and E. Arzt (Stuttgart, Germany)

Identification and characterization of reclaimed and recycled polymers by ultrasound attenuation 419
C.M. Langton (Sheffield, UK), J.B. Hull, S. Barker and A.R. Jones (Bradford, UK)

Thin films

Grain boundary sliding in thin substrate-bonded Al films 424
M. Prieler, H.G. Bohn, W. Schilling and H. Trinkaus (Jülich, Germany)

Internal friction in thin films and membranes 428
C.M. Su and M. Wuttig (College Park, MD, USA)

Internal friction and elastic moduli of V and Cr films on Si substrates 434
O. Yoshinari, T. Ohta, T. Saitoh, S. Mibu and K. Tanaka (Nagoya, Japan)

Thin film characterization using generalized Lamb waves and harmonic generation 438
Ph. Richard, G. Gremaud, A. Kulik and O. Behrend (Lausanne, Switzerland)

The anelastic study of Ag/Pd multilayers . . . 442
H. Mizubayashi, T. Yamaguchi (Ibaraki, Japan), W. Song (Tokyo, Japan), A. Yamaguchi (Morioka, Japan) and R. Yamamoto (Tokyo, Japan)

An elasticity study of Al and Ag nanometre films . . . 446
H. Mizubayashi, T. Yamaguchi and Y. Yoshihara (Ibaraki, Japan)

Loss mechanisms in fine-grained ferroelectric ceramic thin films for ULSI memories (DRAMs) . . . 451
J.F. Scott, C.A. Paz de Araujo and B.M. Melnick (Colorado Springs, CO, USA)

Preparation and characterization of $(Tb,Dy)Fe_2$ giant magnetostrictive thin films for surface acoustic wave devices 455
H.H. Uchida, V. Koeninger, H. Uchida, M. Wada, H. Funakura, Y. Matsumura (Kanagawa, Japan), T. Kurino and H. Kaneko (Tokyo, Japan)

Martensitic transformation in $Ni_{50}Ti_{50}$ films . . . 460
Q. Su, S.Z. Hua and M. Wuttig (College Park, MD, USA)

Electron and phonon relaxation

Unusual elastic behaviour of normal state UPt_3 . . . 464
D. Maurer (Berlin, Germany)

Computer simulation on phonon transport in crystals with defects . . . 471
S. Ozawa and Y. Hiki (Hitachi, Japan)

Grain boundaries, domain walls and interfaces

Elastic and dissipative properties of metals with an ultrafine grain structure . . . 475
Ya.M. Soifer (Chernogolovka, Russian Federation)

Non-linear mechanical relaxation associated with the viscous sliding of grain boundaries in aluminium bicrystals . . . 480
X.S. Guan and T.S. Kê (Hefei, China)

Relation between fabrication parameters and grain boundary internal friction peaks in commercial Al–Mg–Si alloys 484
E. Carreño Morelli, A.A. Ghilarducci (Bariloche, RN, Argentina) and S.E. Urreta de Pereyra (Córdoba, Argentina)

Internal friction, thermal and structure analysis of nanocrystalline aluminium . . . 489
A. Al Sadi, E. Bonetti, P. Mattioli and G. Valdrè (Bologna, Italy)

Anelasticity of ultrafine-grained polycrystalline gold . . . 494
S. Okuda, F. Tang, H. Tanimoto and Y. Iwamoto (Ibaraki, Japan)

The study of internal friction in metal–metal layered materials . . . 498
S. Kiss, Z. Cseresnyés and I.Z. Harangozó (Debrecen, Hungary)

General aspects of anelasticity and mechanical properties

The temperature-independent component of the diaelastic effect . . . 503
A.V. Granato (Urbana, IL, USA)

Stress relaxation in precipitation-hardenable alloys . . . 509
P. Buchhagen and W. Riehemann (Clausthal-Zellerfeld, Germany)

Damping capacity of Zn–Al alloy sheets . . . 514
T. Otani, K. Hoshino and T. Kurosawa (Chiba, Japan)

High temperature background damping . . . 518
F. Povolo, O.A. Lambri (Buenos Aires, Argentina) and M.E. Torio (Rosario, Argentina)

Zener relaxation strength in b.c.c. and f.c.c. alloys . . . 522
F. Povolo and H.O. Mosca (Buenos Aires, Argentina)

Analysis of the Snoek relaxation in Nb–O alloys through the loss tangent distribution function . . . 525
F. Povolo and C.L. Matteo (Buenos Aires, Argentina)

Relaxation strength and distribution function of an internal friction peak . . . 529
É.B. Hermida and F. Povolo (Buenos Aires, Argentina)

Fractional relaxation in anelastic solids . . . 534
F. Mainardi (Bologna, Italy)

The relaxation strength and the relaxation time of anelasticity experiments on foils or thin plates . . . 539
H. Wipf, R. Schmidt (Darmstadt, Germany) and H. Trinkaus (Jülich, Germany)

Acoustic emission and self-organized criticality associated with fracture processes during hydrogen precipitation in niobium 544
G. Cannelli, R. Cantelli and F. Cordero (Rome, Italy)

Magneto-elastic interactions

Magnetoplastic effect in non-magnetic crystals and internal friction 548
V.I. Alshits, E.V. Darinskaya, O.L. Kazakova, E.Yu. Mikhina and E.A. Petrzhik (Moscow, Russian Federation)

Spin-phonon coupling in MnZn ferrites. 554
I. Giesgen, J. Pankert (Aachen, Germany) and S. Ewert (Cottbus, Germany)

The ultrasonic behaviour of ferrimagnetic yttrium iron garnet (YIG) crystal under pressure 557
H. Gu, F. Li and J. Wang (Beijing, China)

"Giant" ΔE effect in amorphous alloys with perpendicular magnetic anisotropy. 560
N.P. Kobelev (Chernogolovka, Russian Federation)

Influence of magnetic fields on the internal friction of Ni 563
B. Augustyniak (Gdańsk, Poland)

Evolution of magnetomechanical damping and magnetic properties of pure iron siliconized up to 5.5 wt.% by chemical vapour deposition 568
S. Crottier-Combe, J. Degauque, B. Viala, C. Beraud, B. Astie (Toulouse, France) and S. Audisio (Villeurbanne, France)

Ultrasonic investigation of $Nd_2Cu_{1-x}Zn_xO_4$: magnetoelastic interaction in the antiferromagnetic and paramagnetic state 572
E. Bonetti, E.G. Campari, M. D'Astuto, M. Marangolo (Bologna, Italy), M. Acquarone, G. Calestani and M.G. Francesconi (Parma, Italy)

Giant magnetostrictive materials: thin film formation and application to magnetic surface acoustic wave devices. . . . 576
H. Uchida, M. Wada, K. Koike, H.H. Uchida, V. Koeninger, Y. Matsumura (Kanagawa, Japan), H. Kaneko and T. Kurino (Tokyo, Japan)

Surface acoustic waves on thin films of giant magnetostrictive alloys 581
V. Koeninger, Y. Matsumura, H.H. Uchida and H. Uchida (Kanagawa, Japan)

Experimental techniques, non-destructive testing, industrial applications

Elastic constants of some intermetallic compounds as determined by the rectangular parallelepiped resonance method 585
M. Koiwa, K. Tanaka (Kyoto, Japan) and H. Yasuda (Suita, Japan)

An approach to higher damping capacity: a comparison of material damping with computer-controlled damping 589
H. Kawabe and K. Yoshida (Hiroshima, Japan)

Recent applications of high-damping hysteretic devices for the seismic isolation of buildings and bridges 592
W.H. Robinson (Lower Hutt, New Zealand)

Measurement of stress relaxation strength in engineering materials for high precision mechanical applications 596
W. Riehemann (Clausthal-Zellerfeld, Germany), P. Fleischer and V. Martens (Göttingen, Germany)

Low cost vibrating reed mechanical spectrometer using capacitive current detection. 600
P. Devos, R. De Batist (Antwerp, Belgium), J. Cornelis (Mol, Belgium) and A. Brebels (Geel, Belgium)

Amplitude-domain mechanical spectroscopy: a way to systematic analysis 603
D. Gelli and E. Olzi (Milan, Italy)

Analysis of the anelastic creep of Al and two Al–Cu alloys 608
S. Sgobba, L. Parrini, H.-U. Künzi and B. Ilschner (Lausanne, Switzerland)

Measurement applications of the scanning acoustic microscope 613
A. Kulik, G. Gremaud, P. Richard and J.-M. Sommer (Lausanne, Switzerland)

A new kind of electrostatically driven forced-torsion pendulum. 616
J. Woirgard, E. Salmon and C. Delineau (Poitiers, France)

N ageing in aluminized steel sheet: an industrial application of high frequency internal friction measurements to point defect–interface interactions 619
B.C. De Cooman, H. Dillen, H. Storms, I. Bultinck, P. Buysse (Zelzate, Belgium), I.G. Ritchie (Vienna, Austria), M. Kuhn and M. Fiorucci (Dudelange, Luxembourg)

Determination of ultrasonic attenuation in small samples of solid material by scanning acoustic microscopy with phase contrast 625
K. Hillmann, W. Grill and J. Bereiter-Hahn (Frankfurt am Main, Germany)

Varying ultrasonic attenuation in welds with nickel filler metal 628
V.A.M. Luprano and G. Montagna (Brindisi, Italy)

Austenitic–martensitic interface damping measured in shape memory alloys by a cyclic tensile machine 632
M. Morin and M.J. Bigeon (Villeurbanne, France)

Measurement of internal friction in polycrystalline materials using laser-generated ultrasound 636
B. Haberer, M. Paul, H. Willems and W. Arnold (Saarbrücken, Germany)

Anelastic and elastic properties of a synthetic monocrystal of bismuth germanate $Bi_4Ge_3O_{12}$ at low temperatures 640
E. Majorana, P. Rapagnani, F. Ricci and P. Tricarico (Rome, Italy)

Anelastic properties of resonant transducers for cryogenic gravitational wave antennas 644
E. Majorana, P. Rapagnani, F. Ricci and P. Tricarico (Rome, Italy)

Author Index 649

Subject Index 651

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.